## WHAT IS CLAIMED

1. (Currently Amended) A method, comprising:

indicating to one or more remote systems in a distributed system that a task, in a task list, is available for processing based on a distribution list;

receiving at least one response from the one or more remote systems capable of performing the task responsive to the indication; and

assigning the task from the task list to the first remote system to respond.

allowing at least one of the remote systems to perform the task based on the at least

-----one received response.

- 2. (Original) The method of claim 1, wherein the distribution list comprises destination addresses associated with the one or more remote systems, wherein indicating to the one or more remote systems comprises providing a message to a router that, responsive to the message, transmits at least a portion of the message to a plurality of the remote systems based on the distribution list.
- 3. (Original) The method of claim 1, wherein the task is at least one of a compilation task, video processing task, audio processing task, image processing task, encryption task, and decryption task, and wherein indicating to the one or more remote systems comprises indicating a threshold criterion that the one or more remote systems should satisfy, and wherein receiving the at least one response comprises receiving the at least one response from the one or more remote systems that satisfy the threshold criterion.

4. (Original) The method of claim 3, wherein indicating the threshold criterion

comprises indicating at least one of a preselected processing speed, memory size, and network

speed that is desired for the one or more remote systems.

5. (Original) The method of claim 3, wherein receiving the at least one response

comprises receiving configuration information associated with the one or more remote systems.

6. (Original) The method of claim 5, wherein receiving the configuration

information comprises receiving information including at least one of a processing speed,

memory size, network speed, and load level associated with the one or more remote systems.

7. (Currently Amended) The method of claim 6, wherein allowing at least one of the

remote systems to perform the task comprises allowing at least one of the remote systems to

perform the task based on a selection scheme, wherein the selection scheme comprises at least

one of allowing a remote system that responds first to perform the task and allowing a remote

system to perform the compilation task based on the received configuration information..

8. (Currently Amended) The method of claim 71, wherein the selection scheme

comprises at least one of allowing a remote system that responds first to perform the task and

allowing a remote system to perform the compilation task based on the received configuration

information: wherein the distribution list is a multicast list, and wherein indicating to the one or

more remote systems comprises providing a message to a router that, responsive to the message,

transmits, via multicast, at least a portion of the message to a plurality of the remote systems based on the distribution list.

9. (Original) The method of claim 1, wherein the act of indicating comprises indicating that the compilation task is available for processing, and wherein the act of receiving comprises receiving the at least one response from a remote system that has reserved at least a portion of its resources for performing the task.

10. (Currently Amended) An article comprising one or more machine-readable storage media containing instructions that when executed enable a processor to:

indicate to a plurality of remote systems in a distributed system that a task <u>in a task</u>

<u>list</u> is available for processing based on a <u>distribution</u> list identifying the remote systems; and

assign the task from the task list to the first remote system to respond.

allow at least one of the plurality of remote systems to perform the task:

- 11. (Original) The article of claim 10, wherein the task is a compilation task, and wherein the instructions when executed enable the processor to allow at least one of the plurality of remote systems based on a selection scheme.
- 12. (Original) The article of claim 11, wherein the instructions when executed enable the processor to allow that remote system which responds first to perform the task.

13. (Original) The article of claim 11, wherein the instructions when executed

enable the processor to allow the remote system having at least one of a higher processing

speed among the plurality of responding remote systems to perform the task and a desirable

performance characteristic, wherein the performance characteristic is determined based on

past performance.

14. (Original) The article of claim 11, wherein the instructions when executed

enable the processor to allow a plurality of remote systems to perform the task in response

to determining that a number of responding remote systems exceed a number of available

tasks.

15. (Original) The article of claim 11, wherein the instructions when executed

enable the processor to receive responses from at least one of the plurality of the remote

systems, wherein the response includes configuration information associated with the one

or more remote systems.

16. (Original) The article of claim 10, wherein the instructions when executed

enable the processor to multicast a request to the plurality of remote systems coupled to a

network that the task is available for processing.

17. (Original) The article of claim 10, wherein the instructions when executed

enable the processor to receive results from the at least one remote system that is allowed

to perform the task.

5

18. (Currently Amended) An apparatus, comprising:
means for indicating to one or more remote systems in a distributed compilation
system that a task in a task list is available for processing based on a
distribution list identifying the one or more remote systems;
means for receiving at least one response from the one or more remote systems
capable of performing the task based on the indication; and
means for assigning the task from the task list to the first remote system to respond.
means for allowing at least one of the remote systems to perform the task based on
the at least one received response.

19. (Currently Amended) An apparatus, comprising:
an interface adapted to communicate with one or more remote systems; and
a control unit communicatively coupled to the interface, the control unit adapted to:
indicate to the one or more remote systems in a distributed compilation system that
a task <u>in a task list</u> is available for processing based on a <u>distribution</u> list
identifying the one or more remote systems;

receive at least one response from the one or more remote systems capable of performing the task based on the indication; and assign the task from the task list to the first remote system to respond.

allow-at-least-one-of-the-remote-systems-to-perform-the-task-based-on-the-at-least-one-received-response.

20. (Currently Amended) The apparatus of claim 19, wherein the task is a

compilation task, and wherein the control unit is adapted to send a multicast [[a]] message

to a plurality of the remote systems on a network that a compilation task is available, and

wherein the multicast message is sent to a multicast address on a router which in turn

completes the multicast.

21. (Original) The apparatus of claim 20, wherein the control unit is adapted to

indicate a threshold criterion that the one or more remote systems should satisfy and further

adapted to receive the at least one response from the one or more remote systems that

satisfy the threshold criterion.

22. (Original) The apparatus of claim 21, wherein the control unit is adapted to

indicate at least one of a minimum processing speed, memory amount, and network speed

that is desired for the one or more remote systems.

23. (Original) The apparatus of claim 21, wherein the control unit is adapted to

receive configuration information associated with the one or more remote systems.

24. (Original) The apparatus of claim 23, wherein the control unit is adapted to

receive information including at least one of a processing speed, memory size, network

speed, and load level associated with the one or more remote systems.

Response to Office Action Serial No. 10/766,246

7

- 25. (Original) The apparatus of claim 24, wherein the control unit is adapted to allow at least one of the remote systems to perform the task based on a selection scheme.
- 26. (Original) The apparatus of claim 25, wherein the selection scheme comprises allowing a remote system that responds first to perform the compilation task
- 27. (Original) The apparatus of claim 25, wherein the selection scheme comprises allowing a remote system to perform the compilation task based on the received configuration information.
- 28. (Original) The apparatus of claim 19, wherein the control unit is adapted to identify the task that is available for processing in a queue that is accessible by one or more of the remote systems.
- 29. (Currently Amended) A distributed compilation system, comprising: one or more remote systems; a client system adapted to:

indicate to the one or more remote systems that a compilation task <u>in a task list</u> is available for processing based on a <u>distribution</u> list identifying the one or more remote systems;

receive at least one response from the one or more remote systems capable of performing the compiling task based on the indication; and assign the task from the task list to the first remote system to respond.

allow-at-least-one-of-the-remote-systems-to-perform-the-compilation-task-based-onthe-at-least-one-received-response-

- 30. (Original) The distributed compilation system of claim 29, wherein the client system multicasts a message to the one or more remote networks over a data network.
- 31. (Original) The distributed compilation system of claim 29, wherein at least one of the remote systems is adapted to:

detect an indication from the client system that a compilation task is available for processing;

determine if the at least one remote system is capable of processing the compilation task; and

process the compilation task for the client system in response to determining that at least one remote system is capable of processing the compilation task.

32. (Currently Amended) A method, comprising:

detecting an indication from a client system to process one or more compilation tasks;

determining if a <u>remote</u> system that detects the indication is capable of processing at least one of the <u>one or more</u> compilation tasks in response to detecting the indication from the client system; and

reserving one or more resources of the remote system in response to determining
that the remote system is capable of processing the at least one of the

compilation task; and

processing the at least one compilation task for the client system in response to determining that the remote system is capable of processing the compilation task at least one or more of the compilation tasks from the client system

being assigned to the first remote system.

33. (Currently Amended) The method of claim 32, wherein the indication was

based on a distribution list identifying the one or more remote systems, and wherein the

request from the client system was a multicast request, further comprising providing results

of the processing to the client system.

34. (Original) The method of claim 32, wherein the processing comprises

accessing a queue associated with the client system and determining the compilation task to

process.

35. (Currently Amended) A method, comprising:

indicating to one or more remote systems in a distributed system that a task in a task

<u>list</u> is available for processing;

receiving at least one response from the one or more remote systems capable of

performing the task responsive to the indication; and

assigning the task from the task list to the first remote system to respond.

36. (Currently Amended) The method of claim 35, wherein the distributed system is a distributed compilation system, and wherein indicating comprises indicating to the one or more remote systems that a compilation task is available for processing, wherein the indication was based on a distribution list identifying the one or more remote systems, and wherein the request from the client system was a multicast request, and further wherein receiving the at least one response comprises receiving the at least one response from the one or more remote systems capable of performing the compilation task responsive to the indication.